

Refine Search

Search Results -

Terms	Documents
L3 and antibod\$	130

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

 DATE: Wednesday, November 16, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR</i>			
<u>L4</u>	L3 and antibod\$	130	<u>L4</u>
<u>L3</u>	(L2 or l2) and lysosom\$	132	<u>L3</u>
<u>L2</u>	ucp or ucp2	1211	<u>L2</u>
<u>L1</u>	uncoupling adj protein\$	824	<u>L1</u>

END OF SEARCH HISTORY

S4 5 RD (unique items)

? show files;ds;t/3,k/all

File 5:Biosis Previews(R) 1969-2005/Nov W1
 (c) 2005 BIOSIS

File 6:NTIS 1964-2005/Nov W1
 (c) 2005 NTIS, Intl Cpyrght All Rights Res

File 8:Ei Compendex(R) 1970-2005/Nov W1
 (c) 2005 Elsevier Eng. Info. Inc.

File 24:CSA Life Sciences Abstracts 1966-2005/Sep
 (c) 2005 CSA.

File 34:SciSearch(R) Cited Ref Sci 1990-2005/Nov W2
 (c) 2005 Inst for Sci Info

File 65:Inside Conferences 1993-2005/Nov W2
 (c) 2005 BLDSC all rts. reserv.

File 71:ELSEVIER BIOBASE 1994-2005/Nov W2
 (c) 2005 Elsevier Science B.V.

File 73:EMBASE 1974-2005/Nov 16
 (c) 2005 Elsevier Science B.V.

File 94:JICST-EPlus 1985-2005/Sep W2
 (c)2005 Japan Science and Tech Corp(JST)

File 98:General Sci Abs/Full-Text 1984-2004/Dec
 (c) 2005 The HW Wilson Co.

File 99:Wilson Appl. Sci & Tech Abs 1983-2005/Oct
 (c) 2005 The HW Wilson Co.

File 135:NewsRx Weekly Reports 1995-2005/Nov W1
 (c) 2005 NewsRx

File 136:BioEngineering Abstracts-1966-2005/Sep
 (c) 2005 CSA.

File 143:Biol. & Agric. Index 1983-2005/Sep
 (c) 2005 The HW Wilson Co

File 144:Pascal 1973-2005/Nov W1
 (c) 2005 INIST/CNRS

File 155:MEDLINE(R) 1951-2005/Nov 15
 (c) format only 2005 Dialog

File 172:EMBASE Alert 2005/Nov 16
 (c) 2005 Elsevier Science B.V.

File 266:FEDRIP 2005/Oct
 Comp & dist by NTIS, Intl Copyright All Rights Res

File 315:ChemEng & Biotec Abs 1970-2005/Oct
 (c) 2005 DECHEMA

File 357:Derwent Biotech Res. _1982-2005/Nov W3
 (c) 2005 Thomson Derwent & ISI

File 358:Current BioTech Abs 1983-2005/Oct
 (c) 2005 DECHEMA

File 369:New Scientist 1994-2005/Jul W4
 (c) 2005 Reed Business Information Ltd.

File 370:Science 1996-1999/Jul W3
 (c) 1999 AAAS

File 399:CA SEARCH(R) 1967-2005/UD=14321
 (c) 2005 American Chemical Society

File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
 (c) 1998 Inst for Sci Info

File 40:Enviroline(R) 1975-2005/Jul

File 41:Pollution Abstracts 1966-2005/Sep
 (c) 2005 CSA.

File 50:CAB Abstracts 1972-2005/Oct
 (c) 2005 CAB International

File 103:Energy SciTec 1974-2005/Oct B1
 (c) 2005 Contains copyrighted material

File 156:ToxFile 1965-2005/Nov W2

(c) format only 2005 Dialog
 File 162:Global Health 1983-2005/Oct
 (c) 2005 CAB International
 File 305:Analytical Abstracts 1980-2005/Nov W2
 (c) 2005 Royal Soc Chemistry
 File 393:Beilstein Abstracts 2005/Q2
 (c) Beilstein GmbH
 File 35:Dissertation Abs Online 1861-2005/Oct
 (c) 2005 ProQuest Info&Learning
 File 48:SPORTDiscus 1962-2005/Jun
 (c) 2005 Sport Information Resource Centre
 File 91:MANTIS(TM) 1880-2005/Jun
 2001 (c) Action Potential
 File 149:TGG Health&Wellness DB(SM) 1976-2005/Nov W1
 (c) 2005 The Gale Group
 File 159:Cancerlit 1975-2002/Oct
 (c) format only 2002 Dialog
 File 164:Allied & Complementary Medicine 1984-2005/Nov
 (c) 2005 BLHCIS
 File 444:New England Journal of Med. 1985-2005/Oct W5
 (c) 2005 Mass. Med. Soc.
 File 467:ExtraMED(tm) 2000/Dec
 (c) 2001 Informania Ltd.

Set	Items	Description
S1	8778	UNCOUPLING PROTEIN?
S2	11360	UCP OR UCP1 OR UCP2
S3	13	(S1 OR S2) (S) LYSOSOM?
S4	5	RD (unique items)

Set	Items	Description
S1	8778	UNCOUPLING PROTEIN?
S2	11360	UCP OR UCP1 OR UCP2
S3	13	(S1 OR S2) (S) LYSOSOM?
S4	5	RD (unique items)

>>>KWIC option is not available in file(s): 399

4/3,K/1 (Item 1 from file: 5)
 DIALOG(R)File 5:Biosis Previews(R)
 (c) 2005 BIOSIS. All rts. reserv.

0013822629 BIOSIS NO.: 200200416140

**Differentiation-dependent expression of cathepsin D and importance of
 lysosomal proteolysis in the degradation of *UCP1* in brown adipocytes**
 AUTHOR: Moazed Banafsheh; Desautels M (Reprint)
 AUTHOR ADDRESS: College of Medicine, Department of Physiology, University
 of Saskatchewan, 107 Wiggins Road, Saskatoon, SK, S7N 5E5, Canada**Canada
 JOURNAL: Canadian Journal of Physiology and Pharmacology 80 (6): p515-525
 June, 2002 2002
 MEDIUM: print
 ISSN: 0008-4212
 DOCUMENT TYPE: Article
 RECORD TYPE: Abstract
 LANGUAGE: English

**Differentiation-dependent expression of cathepsin D and importance of
 lysosomal proteolysis in the degradation of *UCP1* in brown adipocytes**

ABSTRACT: The *lysosomal* protease cathepsin D increased markedly in brown adipocytes during differentiation in primary cultures. Differentiated cells had 20 times the amount of immunoreactive cathepsin D found...
 ...48 h after cells had been exposed to NE for 7 days. In contrast, exposure of the cells to NE for 7 days increased their *UCP1* content by more than twofold, which returned to basal levels within 48 h of withholding NE. The half-life of *UCP1* under basal conditions and in cells chronically exposed to NE was estimated from reductions in (35S)methionine-labelled immunoprecipitable *UCP1* over 72 h. *UCP1* t_{1/2} under basal conditions was 3.7±0.4 days, which was similar to the half-lives of labelled mitochondrial translation products (3.6±0.8 days). The turnover rates of both *UCP1* and mitochondrial translation products were reduced by NE. The turnover rate of *UCP1* in the presence or absence of NE cannot account solely for the rapid loss of *UCP1* from brown adipocytes upon withdrawal of NE. This loss was reduced when cells were incubated with inhibitors of phosphatidylinositol 3-kinases (PI 3-kinase), previously shown to block formation of autophagic vacuoles. Thus, brown adipocytes acquire a large capacity for both uncoupled metabolism and for *lysosomal* proteolysis during differentiation. Withdrawal of NE, as often occurs in vivo from suppression of sympathetic nervous system activity, would not only terminate thermogenesis but also favor formation of autophagic vacuoles to rapidly reduce the cell content of *UCP1*-containing mitochondria.

4/3,K/2 (Item 2 from file: 5)
 DIALOG(R)File 5:Biosis Previews(R)
 (c) 2005 BIOSIS. All rts. reserv.

0009314320 BIOSIS NO.: 199497335605

Temperature and phenylmethanesulfonyl fluoride sensitive loss of uncoupling

protein in isolated brown adipose tissue mitochondrial membranes

AUTHOR: Desautels M; Dulos R A

AUTHOR ADDRESS: Dep. Physiol., Coll. Med., Univ. Saskatchewan, Saskatoon,
SK S7N 0W0, Canada**Canada

JOURNAL: Biochemistry and Cell Biology 72 (1-2): p1-7 1994 1994

ISSN: 0829-8211

DOCUMENT TYPE: Article

RECORD TYPE: Abstract

LANGUAGE: English

ABSTRACT: When a membrane suspension prepared from isolated rat brown fat mitochondria was incubated at 37 degree C for 4 h, a loss of uncoupling protein (*UCP*) immunoreactivity was observed on Western blots. Analysis of (3H)GDP-binding characteristics to *UCP* in isolated membranes also showed a significant reduction in B-max without significant effect on K-d. The loss of *UCP* was not due to protease contamination from *lysosomes* or mast cell granules, since loss of *UCP* was still observed when mitochondria were treated with digitonin to lyse *lysosomes* prior to membrane preparation and when mitochondria were isolated from rats injected with compound 48/80 to degranulate mast cells. Furthermore, loss of *UCP* was observed at alkaline pH and was not affected by inhibitors of *lysosomal* enzymes. Loss of *UCP* immunoreactivity was markedly reduced when membranes were incubated at 4 degree C or in the presence of phenylmethylsulfonyl fluoride, but was not influenced by the...

...of GDP. Overall, these results indicate the presence of a serine protease within brown fat mitochondrial membranes that may be involved in the breakdown of *UCP*.

4/3,K/3 (Item 1 from file: 357)

DIALOG(R) File 357:Derwent Biotech Res.

(c) 2005 Thomson Derwent & ISI. All rts. reserv.

0314847 DBR Accession No.: 2003-15987 PATENT

Promoting nerve cell generation with a neural cell reactive oxygen species activator, useful for diagnosing, preventing and treating disorders such as cancer, Alzheimer's disease, diabetes mellitus and multiple sclerosis - for use in cancer, Alzheimer disease, diabetes mellitus and multiple sclerosis diagnosis, prevention and therapy

AUTHOR: NEWELL ROGERS M K; NEWELL E; CAMLEY R E; TRAUGER R; RICHARD C; CHRISTIANSEN T; CELINSKI Z; VILLOBOS-MENVEY E

PATENT ASSIGNEE: UNIV COLORADO 2003

PATENT NUMBER: WO 200331643 PATENT DATE: 20030417 WPI ACCESSION NO.:

2003-393449 (200337)

PRIORITY APPLIC. NO.: US 329477 APPLIC. DATE: 20011014

NATIONAL APPLIC. NO.: WO 2002US33054 APPLIC. DATE: 20021015

LANGUAGE: English

...ABSTRACT: reduce co-stimulatory molecule expression on cells of the donor organ, and transplanting the donor organ into the recipient subject. WIDER DISCLOSURE - Oligonucleotides, dominant negative *lysosomal* membrane polypeptides, antigens and colloidal dispersion systems used in the methods of the invention, are also disclosed. BIOTECHNOLOGY - Preferred Method: The neural cell ROS activator...

...growth factor) alpha and beta, and lymphotoxin. The ROS activator in the method of (1) is alpha interferon, lipoproteins, fatty acids, cAMP inducing agents, a *UCP* expression vector, a B7.1, B7.2 or CD40 expression vector, angiostatins, angiogenics, viral components, and

exposure to sub-toxic microwaves or low dose radiation...

... product from HIV Nef, HIV tat, and adenoviral ElB. The activator of ROS is an inhibitor of glutathione or glutathione S reductase, superoxide dismutase or *lysosomal* *UCP* and/or is exposure to microwaves. The cell is a nerve cell or a neutrophil. The compound for modulating ROS is an inhibitor of ROS...

4/3,K/4 (Item 2 from file: 357)

DIALOG(R)File 357:Derwent Biotech Res.

(c) 2005 Thomson Derwent & ISI. All rts. reserv.

0265635 DBR Accession No.: 2001-05389 PATENT

Inhibiting plasma membrane uncoupling protein expression in tumor cells and rapidly dividing bacterial cells, for treating cancer and infectious diseases - uncoupling protein-inhibitor drug screening for chemotherapy sensitization of tumor cell

AUTHOR: Newell M K

CORPORATE SOURCE: Burlington, VT, USA.

PATENT ASSIGNEE: Univ.Vermont 2000

PATENT NUMBER: WO 200078941 PATENT DATE: 20001228 WPI ACCESSION NO.: 2001-102716 (2011)

PRIORITY APPLIC. NO.: US 140574 APPLIC. DATE: 19990623

NATIONAL APPLIC. NO.: WO 2000US17245 APPLIC. DATE: 20000622

LANGUAGE: English

ABSTRACT: Inhibiting plasma membrane uncoupling protein (*UCP*) expression in a cell, comprises contacting a cell with a plasma membrane *UCP* -inhibitor. Also new are: a composition of a plasma membrane targeted *UCP* -inhibitor; sensitizing a resistant tumor cell to a cytotoxic therapy by expressing a functional *UCP* or *UCP* fragment in a plasma membrane of a resistant tumor cell to sensitize the resistant tumor cell to a cytotoxic therapeutic; screening a tumor cell for...

... for screening a tumor cell or a subject for susceptibility to treatment with a chemotherapeutic agent; inducing cellular division in a growth arrested cell; regulating *lysosomal* pH by modifying *lysosomal* *UCP* activity in a cell; treatment of autoimmune disease by administering *UCP* activator; a composition of a *UCP* -inhibitor; therapy or prevention of infection using a *UCP*-inhibitor; nucleic acids encoding *UCP*; and transgenic animals and cells transfected with *UCP*. (106pp)

4/3,K/5 (Item 1 from file: 399)

DIALOG(R)File 399:CA SEARCH(R)

(c) 2005 American Chemical Society. All rts. reserv.

138319665 CA: 138(21)319665r PATENT

Reactive oxygen activators or inhibitors for modulating co-stimulatory molecule expression and cell growth as well as treating neuronal, neoplastic, infectious and autoimmune diseases

INVENTOR(AUTHOR): Newell, Rogers Martha Karen; Newell, Evan; Camley, Robert E.; Trauger, Richard; Richard, C., III; Christiansen, Thomas; Celinski, Zbigniew; Villobos-Menvey, Elizabeth

LOCATION: USA

ASSIGNEE: The Regents the University of Colorado

PATENT: PCT International ; WO 200331643 A2 DATE: 20030417

APPLICATION: WO 2002US33054 (20021015) *US PV329280 (20011012) *US PV329477 (20011014)

PAGES: 51 pp. CODEN: PIXXD2 LANGUAGE: English CLASS: C12Q-000/A

DESIGNATED COUNTRIES: AE; AG; AL; AM; AT; AU; AZ; BA; BB; BG; BR; BY; BZ;
CA; CH; CN; CO; CR; CU; CZ; DE; DK; DM; DZ; EC; EE; ES; FI; GB; GD; GE; GH;
GM; HR; HU; ID; IL; IN; IS; JP; KE; KG; KP; KR; KZ; LC; LK; LR; LS; LT; LU;
LV; MA; MD; MG; MK; MN; MW; MX; MZ; NO; NZ; OM; PH; PL; PT; RO; RU; SD; SE;
SG; SI; SK; SL; TJ; TM; TN; TR; TT; TZ; UA; UG; UZ; VN; YU; ZA; ZW; AM; AZ;
BY; KG; KZ; MD; RU; TJ; TM DESIGNATED REGIONAL: GH; GM; KE; LS; MW; MZ; SD
; SL; SZ; TZ; UG; ZM; ZW; AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR;
GB; GR; IE; IT; LU; MC; NL; PT; SE; SK; TR; BF; BJ; CF; CG; CI; CM; GA; GN;
GQ; GW; ML; MR; NE; SN; TD; TG

?